

1993 Index

IEEE Transactions on Semiconductor Manufacturing

Vol. 6

This index covers all items — papers, correspondence, reviews, etc. — that appeared in this periodical during 1993, and items from previous years that were commented upon or corrected in 1993.

The Author Index contains the primary entry for each item, listed under the first author's name, and cross-references from all coauthors. The Subject Index contains several entries for each item under appropriate subject headings, and subject cross-references.

It is always necessary to refer to the primary entry in the Author Index for the exact title, coauthors, and comments/corrections.

AUTHOR INDEX

A

- Abugov, Robert.** From trend charts to control charts: Setup tests for making the leap; *T-SEM May 93* 184-188
- Ackermann, Colleen Sue.** Supplier improvement via SPC applications workshops; *T-SEM May 93* 178-183
- Ackermann, Colleen Sue,** and Jojo M. Fabia. Monitoring supplier quality at PPM levels; *T-SEM May 93* 189-195
- Akiyama, Shigenobu,** *see* Uraoka, Yukiharu, *T-SEM Nov 93* 324-331
- Anderson, Richard L.,** *see* Badgwell, Thomas A., *T-SEM Feb 93* 65-71

B

- Badgwell, Thomas A.,** Thomas F. Edgar, Isaac Trachtenberg, Gil Yetter, J. Kiefer Elliott, and Richard L. Anderson. In situ measurement of wafer temperatures in a low pressure chemical vapor deposition furnace; *T-SEM Feb 93* 65-71
- Behnke, Lawrence S.,** Marshall Hamlin, and Bill C. Smoak. The evolution of employee empowerment; *T-SEM May 93* 143-155
- Berg, Rachel,** and David Smith. The formula: World class manufacturing for hybrid thin-film component production; *T-SEM May 93* 170-177
- Boebel, Friedrich G.,** and Heino Möller. Simultaneous in situ measurement of film thickness and temperature by using multiple wavelengths pyrometric interferometry (MWPI); *T-SEM May 93* 112-118
- Boning, Duane S.,** *see* Durbeck, Diane, *T-SEM Nov 93* 297-305
- Busch-Vishniac, Ilene J.,** *see* Wang, Wanjun, *T-SEM Aug 93* 276-279

C

- Cheek, Gary C.,** *Guest Ed.* Guest editorial (introduction to special issue on contributions from the 1992 Advanced Semiconductor Manufacturing Conference and Workshop and the 1992 International Semiconductor Manufacturing Science Symposium); *T-SEM May 93* 94-95
- Chern, Jue-Hsien,** *see* Durbeck, Diane, *T-SEM Nov 93* 297-305
- Chiu, Kuang-Yi,** *see* Young, K. Konrad, *T-SEM Feb 93* 22-27
- Cho, Young Man,** and Thomas Kailath. Model identification in rapid thermal processing systems; *T-SEM Aug 93* 233-245
- Choi, Yearam-Ik,** *see* Hwang, Seong-Kyu, *T-SEM Nov 93* 377-380
- Chung, Sang-Koo,** *see* Hwang, Seong-Kyu, *T-SEM Nov 93* 377-380
- Collica, Randall S.** Correction to 'The effect of the number of defect mechanisms on fault clustering and its detection using yield model parameters' (Aug 92 189-195); *T-SEM Feb 93* 88
- Cooper, K. J.,** *see* Roth, S. S., *T-SEM Aug 93* 246-250

D

- Dalal, Alexander R.,** Paul D. Franzon, and Michael J. Lorenzetti. A layout-driven yield predictor and fault generator for VLSI; *T-SEM Feb 93* 77-82
- Defonseka, Brian N.,** *see* Riley, Paul E., *T-SEM Aug 93* 290-292
- DePinto, Gary.** A methodology for optimizing a constant temperature polysilicon deposition process; *T-SEM Nov 93* 332-342

- Dunn, Douglas E.** Differentiation of source/drain breakdown mechanisms by a single ring transistor measurement (Corresp.); *T-SEM Aug 93* 282-284
- Durbeck, Diane,** Jue-Hsien Chern, and Duane S. Boning. A system for semiconductor process specification; *T-SEM Nov 93* 297-305

E

- Edgar, Thomas F.,** *see* Badgwell, Thomas A., *T-SEM Feb 93* 65-71
- Elliott, J. Kiefer,** *see* Badgwell, Thomas A., *T-SEM Feb 93* 65-71
- Evans, Ivor R.,** and David Garratt. Automated wafer level QBD measurement for production control; *T-SEM Feb 93* 83-87

F

- Fabia, Jojo M.,** *see* Ackermann, Colleen Sue, *T-SEM May 93* 189-195
- Figueredo, Domingo,** *see* Riley, Paul E., *T-SEM Aug 93* 290-292
- Franzon, Paul D.,** *see* Dalal, Alexander R., *T-SEM Feb 93* 77-82
- Freeman, Greg,** Wes Lukaszek, and Jeff Y. C. Pan. MERLIN: A device diagnosis system based on analytic models; *T-SEM Nov 93* 306-317

G

- Garratt, David,** *see* Evans, Ivor R., *T-SEM Feb 93* 83-87
- Garrett, Patrick H.,** Jeffrey J. Heyob, Victor J. Hunt, Steven R. LeClair, and Oliver D. Patterson. Decoupled flux control for molecular beam epitaxy; *T-SEM Nov 93* 348-356
- Ghandour, Osman A.,** Robert Scarmozzino, Richard M. Osgood, Jr., and William W. Hooper. Laser-assisted thermally enhanced InP via etching for microwave device applications; *T-SEM Nov 93* 357-360
- Golshani, F.,** *see* Rastogi, Purag, *T-SEM Aug 93* 207-218
- Goto, Haruhiro Harry,** Hans-Dirk Löwe, and Tadahihiro Ohmi. Independent control of ion density and ion bombardment energy in a dual RF excitation plasma; *T-SEM Feb 93* 58-64
- Graves, David B.,** *see* Peurrung, Loni M., *T-SEM Feb 93* 72-76
- Guo, Ruey-Shan,** and Emanuel Sachs. Modeling, optimization and control of spatial uniformity in manufacturing processes; *T-SEM Feb 93* 41-57
- Gyurcsik, Ronald S.,** *see* Sorrell, F. Yates, *T-SEM Aug 93* 273-276

H

- Haider, Asad M.,** *see* Ma, Ce, *T-SEM Nov 93* 361-366
- Hamlin, Marshall,** *see* Behnke, Lawrence S., *T-SEM May 93* 143-155
- Harish, C. M.,** V. Kumar, and A. Prabhakar. A novel laser direct write technique for fabrication of thin film MIC's (Corresp.); *T-SEM Aug 93* 279-282
- Hendrix, L.,** *see* Roth, S. S., *T-SEM Aug 93* 246-250
- Hershkovitz, Noah,** *see* Maynard, Helen L., *T-SEM Nov 93* 373-377
- Heyob, Jeffrey J.,** *see* Garrett, Patrick H., *T-SEM Nov 93* 348-356
- Himmel, Christopher D.,** and Gary S. May. Advantages of plasma etch modeling using neural networks over statistical techniques; *T-SEM May 93* 103-111
- Hirasawa, Shigeki,** Shigekazu Kieda, Tomoji Watanabe, Takuji Torii, Tetsuya Takagaki, and Toshiyuki Uchino. Temperature distribution in semiconductor wafers heated in a vertical diffusion furnace; *T-SEM Aug 93* 226-232
- Hirose, Kouichi,** *see* Shimada, Hisayuki, *T-SEM Aug 93* 269-273
- Hooper, William W.,** *see* Ghandour, Osman A., *T-SEM Nov 93* 357-360
- Hu, Chenming,** *see* Shin, Hyungcheol, *T-SEM May 93* 96-102
- Hu, H. K.,** *see* Young, K. Konrad, *T-SEM Feb 93* 22-27
- Hunt, Victor J.,** *see* Garrett, Patrick H., *T-SEM Nov 93* 348-356
- Hwang, Seong-Kyu,** Yearam-Ik Choi, Sang-Koo Chung, Kwyro Lee, and Choong-Ki Kim. A power MOSFET design methodology considering epi parameter variations (Corresp.); *T-SEM Nov 93* 377-380

I

Itano, Mitsushi, Frederick W. Kern, Jr., Masayuki Miyashita, and Tadahiro Ohmi. Particle removal from silicon wafer surface in wet cleaning process; *T-SEM Aug 93* 258-267

J

Jan, D., and S. Raghavan. Synthesis and characterization of positively charge-modified polypropylene membrane; *T-SEM Nov 93* 367-372
Jelloian, Linda, see Larson, Lawrence, *T-SEM Nov 93* 380-383

K

Kallath, Thomas, see Cho, Young Man, *T-SEM Aug 93* 233-245
Kern, Frederick W., Jr., see Itano, Mitsushi, *T-SEM Aug 93* 258-267
Kieda, Shigekazu, see Hirasawa, Shigeki, *T-SEM Aug 93* 226-232
Kim, Choong-Ki, see Hwang, Seong-Kyu, *T-SEM Nov 93* 377-380
Kirsch, H. C., see Roth, S. S., *T-SEM Aug 93* 246-250
Kishino, Seigô, Haruhiko Yoshida, and Hirohiko Niu. Optimizing gettering conditions for VLSI chips using simple yield model; *T-SEM Aug 93* 251-257
Koh, Song W., see Perez, Rafael A., *T-SEM Aug 93* 199-206
Kozicki, Michael N., see Rastogi, Purag, *T-SEM Aug 93* 207-218
Kumar, V., see Harish, C. M., *T-SEM Aug 93* 279-282

L

Lamb, Margaret, see Wang, Wanjun, *T-SEM Aug 93* 276-279
Larson, Lawrence, Linda Jelloian, Steven Rosenbaum, Adele Schmitz, Mark Thompson, Mark Lui, Loi Nguyen, and Umesh Mishra. Manufacturing study of yield and performance dependence on gate length for submicron AlInAs-GaInAs HEMTs (Corresp.); *T-SEM Nov 93* 380-383
Leachman, Robert C., see Weng, W. Willie, *T-SEM Aug 93* 219-225
LeClair, Steven R., see Garrett, Patrick H., *T-SEM Nov 93* 348-356
Lee, Kwyro, see Hwang, Seong-Kyu, *T-SEM Nov 93* 377-380
Leung, Yiu-Wing. Optimal life testing schedule for multiple types of integrated circuits; *T-SEM Nov 93* 318-323
Liu, Yong, Anton Pfau, and Avidesh Zakhor. Systematic design of phase-shifting masks with extended depth of focus and/or shifted focus plane; *T-SEM Feb 93* 1-21
Lorenzetti, Michael J., see Dalal, Alexander R., *T-SEM Feb 93* 77-82
Lory, Earl R., see Rietman, Edward, *T-SEM Nov 93* 343-347
Löwe, Hans-Dirk, see Goto, Haruhiro Harry, *T-SEM Feb 93* 58-64
Lui, Mark, see Larson, Lawrence, *T-SEM Nov 93* 380-383
Lukaszek, Wes, see Freeman, Greg, *T-SEM Nov 93* 306-317

M

Ma, Ce, Asad M. Haider, and Farhang Shadman. Atmospheric pressure ionization mass spectroscopy for the study of permeation in polymeric tubing; *T-SEM Nov 93* 361-366
May, Gary S., and Costas J. Spanos. Automated malfunction diagnosis of semiconductor fabrication equipment: A plasma etch application; *T-SEM Feb 93* 28-40
May, Gary S., see Himmel, Christopher D., *T-SEM May 93* 103-111
Maynard, Helen L., and Noah Hershkowitz. New alternative graphing methods for thin-film interferometry data (Corresp.); *T-SEM Nov 93* 373-377
Miller, William H., Jr., and Mark W. Poole. Advanced CIM environment for manufacturing data analysis; *T-SEM May 93* 128-133
Mishra, Umesh, see Larson, Lawrence, *T-SEM Nov 93* 380-383
Miyanaga, Isao, see Uraoka, Yukiharu, *T-SEM Nov 93* 324-331
Miyashita, Masayuki, see Itano, Mitsushi, *T-SEM Aug 93* 258-267
Möller, Heino, see Boebel, Friedrich G., *T-SEM May 93* 112-118

N

Naguib, Hussein. The implementation of total quality management (TQM) in a semiconductor manufacturing operation; *T-SEM May 93* 156-162
Nguyen, Loi, see Larson, Lawrence, *T-SEM Nov 93* 380-383
Niu, Hirohiko, see Kishino, Seigô, *T-SEM Aug 93* 251-257
Nonaka, Toru, see Shimada, Hisayuki, *T-SEM Aug 93* 269-273

O

O'Hanlon, John F., see Parks, Harold G., *T-SEM May 93* 134-142
Ohmi, Tadahiro, see Goto, Haruhiro Harry, *T-SEM Feb 93* 58-64
Ohmi, Tadahiro, see Itano, Mitsushi, *T-SEM Aug 93* 258-267
Ohmi, Tadahiro, see Shimada, Hisayuki, *T-SEM Aug 93* 269-273
Onodera, Masanobu, see Shimada, Hisayuki, *T-SEM Aug 93* 269-273
Osgood, Richard M., Jr., see Ghandour, Osman A., *T-SEM Nov 93* 357-360
Ourmazd, Abbas, see Warwick, Colin A., *T-SEM Aug 93* 284-289

P

Pan, Jeff Y. C., see Freeman, Greg, *T-SEM Nov 93* 306-317
Parks, Harold G., John F. O'Hanlon, and Farhang Shadman. Research accomplishments at the University of Arizona SEMATECH Center of Excellence for contamination/defect assessment and control; *T-SEM May 93* 134-142
Patterson, Oliver D., see Garrett, Patrick H., *T-SEM Nov 93* 348-356
Peng, Shlesen, see Young, K. Konrad, *T-SEM Feb 93* 22-27
Perez, Rafael A., and Song W. Koh. Integrating expert systems with a relational database in semiconductor manufacturing; *T-SEM Aug 93* 199-206
Peurrung, Loni M., and David B. Graves. Spin coating over topography; *T-SEM Feb 93* 72-76
Pfau, Anton, see Liu, Yong, *T-SEM Feb 93* 1-21
Poole, Mark W., see Miller, William H., Jr., *T-SEM May 93* 128-133
Prabhakar, A., see Harish, C. M., *T-SEM Aug 93* 279-282

R

Raghavan, S., see Jan, D., *T-SEM Nov 93* 367-372
Rastogi, Purag, Michael N. Kozicki, and F. Golshani. ExPro—An expert system based process management system; *T-SEM Aug 93* 207-218
Ray, G. W., see Young, K. Konrad, *T-SEM Feb 93* 22-27
Ray, W., see Roth, S. S., *T-SEM Aug 93* 246-250
Rietman, Edward, and Earl R. Lory. Use of neural networks in modeling semiconductor manufacturing processes: An example for plasma etch modeling; *T-SEM Nov 93* 343-347
Riley, Paul E., see Young, K. Konrad, *T-SEM Feb 93* 22-27
Riley, Paul E., Brian N. Defonseka, Joyce C. Sum, and Domingo Figueredo. Reactor characterization for a process to etch Si₃N₄ formed on thin SiO₂ (Corresp.); *T-SEM Aug 93* 290-292
Rosenbaum, Steven, see Larson, Lawrence, *T-SEM Nov 93* 380-383
Roth, S. S., K. J. Cooper, H. C. Kirsch, W. Ray, L. Hendrix, and G. Simon. PELOX integrated PBL; *T-SEM Aug 93* 246-250

S

Sachs, Emanuel, see Guo, Ruey-Shan, *T-SEM Feb 93* 41-57
Scarmozzino, Robert, see Ghandour, Osman A., *T-SEM Nov 93* 357-360
Schmitz, Adele, see Larson, Lawrence, *T-SEM Nov 93* 380-383
Shadman, Farhang, see Parks, Harold G., *T-SEM May 93* 134-142
Shadman, Farhang, see Ma, Ce, *T-SEM Nov 93* 361-366
Shimada, Hisayuki, Masanobu Onodera, Toru Nonaka, Kouichi Hirose, and Tadahiro Ohmi. Advanced development process for ultra fine photoresist patterns (Corresp.); *T-SEM Aug 93* 269-273
Shin, Hyungcheol, and Chenming Hu. Monitoring plasma-process induced damage in thin oxide; *T-SEM May 93* 96-102
Simon, G., see Roth, S. S., *T-SEM Aug 93* 246-250
Smith, David, see Berg, Rachel, *T-SEM May 93* 170-177
Smoak, Bill C., see Behnke, Lawrence S., *T-SEM May 93* 143-155
Sorrell, F. Yates, and Ronald S. Gyurcsik. Model-based emissivity correction in pyrometer temperature control of rapid thermal processing systems (Corresp.); *T-SEM Aug 93* 273-276
Spanos, Costas J., see May, Gary S., *T-SEM Feb 93* 28-40
Sum, Joyce C., see Riley, Paul E., *T-SEM Aug 93* 290-292

T

Takagaki, Tetsuya, see Hirasawa, Shigeki, *T-SEM Aug 93* 226-232
Thompson, Mark, see Larson, Lawrence, *T-SEM Nov 93* 380-383
Tomlinson, Kim P. Why even successful teams sometimes fail—Self-directed team catalysts; *T-SEM May 93* 163-169
Torii, Takuji, see Hirasawa, Shigeki, *T-SEM Aug 93* 226-232
Trachtenberg, Isaac, see Badgwell, Thomas A., *T-SEM Feb 93* 65-71
Tsuji, Kazuhiko, see Uraoka, Yukiharu, *T-SEM Nov 93* 324-331

U

- Uchino, Toshiyuki**, *see* Hirasawa, Shigeki, *T-SEM Aug 93* 226-232
Uesato, W., *see* Young, K. Konrad, *T-SEM Feb 93* 22-27
Uraoka, Yukiharu, Isao Miyana, Kazuhiko Tsuji, and Shigenobu Akiyama. Failure analysis of ULSI circuits using photon emission; *T-SEM Nov 93* 324-331

W

- Wang, WanJun**, Margaret Lamb, and Ilene J. Busch-Vishniac. An automated loading and unloading system for a maglev wafer transport path (Corresp.); *T-SEM Aug 93* 276-279
Warwick, Collin A., and Abbas Ourmazd. Trends and limits in monolithic integration by increasing the die area (Corresp.); *T-SEM Aug 93* 284-289
Watanabe, Tomoji, *see* Hirasawa, Shigeki, *T-SEM Aug 93* 226-232
Weng, W. Willie, and Robert C. Leachman. An improved methodology for real-time production decisions at batch-process work stations; *T-SEM Aug 93* 219-225
Whetten, T. J., *see* Young, K. Konrad, *T-SEM Feb 93* 22-27
White, Nicholas R. Comments, with reply, on 'Dose perturbation by wafer charging during ion implantation' by Y. Sato et al.; *T-SEM Aug 93* 268-269 (Original paper, Nov 92 329-336)
Wood, Ernest J. An object-oriented SECS programming environment; *T-SEM May 93* 119-127

Y

- Yetter, Gil**, *see* Badgwell, Thomas A., *T-SEM Feb 93* 65-71
Yoshida, Haruhiko, *see* Kishino, Seigō, *T-SEM Aug 93* 251-257
Young, K. Konrad, Paul E. Riley, W. Uesato, T. J. Whetten, H. K. Hu, G. W. Ray, Shiesen Peng, and Kuang-Yi Chiu. Advanced 'contact engineering' for submicron VLSI multilevel metallization; *T-SEM Feb 93* 22-27

Z

- Zakhor, Avideh**, *see* Liu, Yong, *T-SEM Feb 93* 1-21

SUBJECT INDEX

A

- Adaptive systems**; *cf.* Neural networks
Aluminum materials/devices; *cf.* Gallium materials/devices
Automatic testing
 automated measurement of charge necessary to induce failure in thin SiO₂ film. *Evans, Ivor R.*, +, *T-SEM Feb 93* 83-87
Awards
IEEE Transactions on Semiconductor Manufacturing Best Paper Award for 1992 presented to E. Sachs, G. H. Prueger, and R. Guerrieri. *T-SEM Aug 93* 198

B

- Breakdown**; *cf.* Dielectric breakdown; Semiconductor device breakdown

C

- CAM (computer-aided manufacturing)**; *cf.* Manufacturing automation
Circuit reliability; *cf.* Integrated circuit reliability
CMOS integrated circuits
 automated measurement of charge necessary to induce failure in thin SiO₂ film. *Evans, Ivor R.*, +, *T-SEM Feb 93* 83-87
 finding failures in ULSI circuits with high detection capability using photon emission; application to CMOS microprocessor. *Uraoka, Yukiharu*, +, *T-SEM Nov 93* 324-331
 integrating expert systems with relational database in semiconductor manufacturing. *Perez, Rafael A.*, +, *T-SEM Aug 93* 199-206

CMOS integrated circuits, memory

- integration of polysilicon encapsulated local oxidation (PELOX) into existing polysilicon buffered LOCOS 1-Mb DRAM baseline process. *Roth, S. S.*, +, *T-SEM Aug 93* 246-250

Complementary MOS; *cf.* CMOS...**Computer-aided manufacturing**; *cf.* Manufacturing automation**Computer fault diagnosis**; *cf.* Microcomputer fault diagnosis**Computer interfaces**

- object-oriented SECS programming environment. *Wood, Ernest J.*, *T-SEM May 93* 119-127

Contacts; *cf.* Integrated circuit metallization**Contamination**

- atmospheric-pressure ionization mass spectroscopy for study of permeation in polymeric tubing. *Ma, Ce*, +, *T-SEM Nov 93* 361-366
 removing particles from Si wafer surface in wet cleaning process. *Itano, Mitsushi*, +, *T-SEM Aug 93* 258-267
 research accomplishments at University of Arizona SEMATECH Center of Excellence for contamination/defect assessment and control in submicron ULSI. *Parks, Harold G.*, +, *T-SEM May 93* 134-142

Control systems; *cf.* Feedback systems; Feedforward systems; Process control; System identification; Thermal variables control**Costs**; *cf.* Integrated circuit economics; Manufacturing scheduling

D

Database systems; *cf.* Object-oriented databases**Database systems, relational**

- integrating expert systems with relational database in semiconductor manufacturing. *Perez, Rafael A.*, +, *T-SEM Aug 93* 199-206
 Manufacturing and Engineering Data Base (MEDB) system for semiconductor manufacturing data analysis. *Miller, William H., Jr.*, +, *T-SEM May 93* 128-133

Decision-making

- improved methodology for real-time scheduling at batch-process workstations to minimize holding cost. *Weng, W. Willie*, +, *T-SEM Aug 93* 219-225

Decoupling of systems

- improving manufacturing capability of MBE growth of semiconductors by decoupled flux control. *Garrett, Patrick H.*, +, *T-SEM Nov 93* 348-356

Design automation; *cf.* Integrated circuit fabrication**Design methodology**; *cf.* Specific topic**Detection**; *cf.* Fault diagnosis**Diagnosis**; *cf.* Fault diagnosis**Dielectric breakdown**

- monitoring plasma-process-induced damage in thin oxide. *Shin, Hyungcheol*, +, *T-SEM May 93* 96-102

Dielectric films

- model for predicting film thickness profiles around topographical features during spin coating. *Peurrung, Loni M.*, +, *T-SEM Feb 93* 72-76
 reactor characterization for process to etch Si₃N₄ formed on thin SiO₂. *Riley, Paul E.*, +, *T-SEM Aug 93* 290-292
 simultaneous in situ measurement of film thickness and temperature using multiple-wavelength pyrometric interferometry. *Boebel, Friedrich G.*, +, *T-SEM May 93* 112-118

Dielectric films; *cf.* CMOS...; MOS...**Dielectric radiation effects**

- charge modification of polypropylene filter membranes by graft polymerization of 4-vinyl pyridine using ⁶⁰Co γ-irradiation. *Jan, D.*, +, *T-SEM Nov 93* 367-372

Diffusion processes

- atmospheric-pressure ionization mass spectroscopy for study of permeation in polymeric tubing. *Ma, Ce*, +, *T-SEM Nov 93* 361-366

E

Economics; *cf.* Integrated circuit economics; Manufacturing scheduling**Electromagnetic measurements**; *cf.* Optical measurements**Engineering profession**

- evolution of empowered self-directed work teams at Harris Semiconductor wafer fabrication facilities. *Behnke, Lawrence S.*, +, *T-SEM May 93* 143-155

Epitaxial growth

- improving manufacturing capability of MBE growth of semiconductors by decoupled flux control. *Garrett, Patrick H.*, +, *T-SEM Nov 93* 348-356
 optimum power MOSFET design methodology that considers epitaxial-layer parameter variations. *Hwang, Seong-Kyu*, +, *T-SEM Nov 93* 377-380

Estimation; cf. Life estimation

Etching; cf. Integrated circuit fabrication; MMICs; Plasma applications, materials processing

Expert systems

ExPro expert-system-based process management system. *Rastogi, Purag*, +, *T-SEM Aug 93* 207-218

integrating expert systems with relational database in semiconductor manufacturing. *Perez, Rafael A.*, +, *T-SEM Aug 93* 199-206

MERLIN, device diagnosis system based on analytic models. *Freeman, Greg*, +, *T-SEM Nov 93* 306-317

F

Fabrication; cf. Integrated circuit fabrication; Semiconductor device fabrication; Thin-film circuit fabrication

Factory automation; cf. Manufacturing automation

Failure analysis

finding failures in ULSI circuits with high detection capability using photon emission; application to CMOS microprocessor. *Uraoka, Yukiharu*, +, *T-SEM Nov 93* 324-331

Failure analysis; cf. Fault diagnosis; Microcomputer fault diagnosis

Fault diagnosis

automated malfunction diagnosis for IC fabrication equipment; plasma etch application. *May, Gary S.*, +, *T-SEM Feb 93* 28-40

correction to 'The effect of the number of defect mechanisms on fault clustering and its detection using yield model parameters' (Aug 92 189-195). *Collica, Randall S.*, *T-SEM Feb 93* 88

layout-driven yield predictor and fault generator for VLSI. *Dalal, Alexander R.*, +, *T-SEM Feb 93* 77-82

Fault diagnosis; cf. Memory fault diagnosis; Microcomputer fault diagnosis

Feedback systems

model-based emissivity correction in pyrometer-based temperature control for rapid thermal processing. *Sorrell, F. Yates*, +, *T-SEM Aug 93* 273-276

Feedforward systems

calculation of temperature distribution in semiconductor wafers heated in vertical diffusion furnace; PID and feedforward control of heating power. *Hirasawa, Shigeki*, +, *T-SEM Aug 93* 226-232

FET integrated circuits; cf. CMOS integrated circuits; MOS integrated circuits

FETs; cf. MODFETs; MOSFETs; Power FETs

Films; cf. Dielectric films; Semiconductor films; Thickness measurement

Filters

charge modification of polypropylene filter membranes by graft polymerization of 4-vinyl pyridine using ^{60}Co γ -irradiation. *Jan, D.*, +, *T-SEM Nov 93* 367-372

Focusing; cf. Optical-beam focusing

Furnaces; cf. Process heating

G

Gallium FETs; cf. MODFET...

Gamma-ray effects

charge modification of polypropylene filter membranes by graft polymerization of 4-vinyl pyridine using ^{60}Co γ -irradiation. *Jan, D.*, +, *T-SEM Nov 93* 367-372

Gas discharges; cf. Ionization

Geometry; cf. Layout, integrated circuits

Gettering; cf. Integrated circuit fabrication

Graphics

alternative graphing methods for thin-film interferometry data. *Maynard, Helen L.*, +, *T-SEM Nov 93* 373-377

H

Heating; cf. Process heating

HEMT's (High electron mobility transistors); cf. MODFET...

Hybrid integrated circuit fabrication; cf. Thin-film circuit fabrication

Hybrid integrated circuits; cf. Thin film circuit...

I

Identification; cf. System identification

IEEE Transactions on Semiconductor Manufacturing; cf. Awards

Impurities; cf. Semiconductor impurities

Indium materials/devices; cf. Gallium materials/devices; MMICs

Industrial control; cf. Manufacturing automation

Information systems; cf. Database systems

Integrated circuit design; cf. Layout, integrated circuits

Integrated circuit doping; cf. Integrated circuit ion implantation

Integrated circuit economics

trends and limits in monolithic integration by increasing die area. *Warwick, Colin A.*, +, *T-SEM Aug 93* 284-289

Integrated circuit fabrication

automated loading and unloading system for maglev wafer transport path. *Wang, Wanjun*, +, *T-SEM Aug 93* 276-279

automated malfunction diagnosis for IC fabrication equipment; plasma etch application. *May, Gary S.*, +, *T-SEM Feb 93* 28-40

calculation of temperature distribution in semiconductor wafers heated in vertical diffusion furnace; PID and feedforward control of heating power. *Hirasawa, Shigeki*, +, *T-SEM Aug 93* 226-232

charge modification of polypropylene filter membranes by graft polymerization of 4-vinyl pyridine using ^{60}Co γ -irradiation. *Jan, D.*, +, *T-SEM Nov 93* 367-372

contributions from the 1992 Advanced Semiconductor Manufacturing Conference and Workshop and the 1992 International Semiconductor Manufacturing Science Symposium (special issue). *T-SEM May 93* 94-195

evolution of empowered self-directed work teams at Harris Semiconductor wafer fabrication facilities. *Behnke, Lawrence S.*, +, *T-SEM May 93* 143-155

ExPro expert-system-based process management system. *Rastogi, Purag*, +, *T-SEM Aug 93* 207-218

implementation of total quality management in semiconductor manufacturing operation. *Naguib, Hussein*, *T-SEM May 93* 156-162

improved methodology for real-time scheduling at batch-process workstations to minimize holding cost. *Weng, W. Willie*, +, *T-SEM Aug 93* 219-225

improving manufacturing capability of MBE growth of semiconductors by decoupled flux control. *Garrett, Patrick H.*, +, *T-SEM Nov 93* 348-356

laser-assisted thermally enhanced via etching for InP-based HEMT MMICs. *Ghandour, Osman A.*, +, *T-SEM Nov 93* 357-360

modeling, optimization and control of spatial uniformity in manufacturing processes. *Guo, Ruey-Shan*, +, *T-SEM Feb 93* 41-57

optimizing gettering conditions for VLSI chips using simple yield model. *Kishino, Seigô*, +, *T-SEM Aug 93* 251-257

reasons for failure of self-directed teams in continuous flow manufacturing and redefinition of teams. *Tomlinson, Kim P.*, *T-SEM May 93* 163-169

statistical tests for upgrading from trend charts to control charts in semiconductor manufacturing. *Abugov, Robert*, *T-SEM May 93* 184-188

system for semiconductor process specification. *Durbeck, Diane*, +, *T-SEM Nov 93* 297-305

trends and limits in monolithic integration by increasing die area. *Warwick, Colin A.*, +, *T-SEM Aug 93* 284-289

Integrated circuit fabrication; cf. CMOS integrated circuits...; Contamination; Integrated circuit ion implantation; Integrated circuit metallization; Integrated circuit thermal factors; Laser applications, materials processing; Lithography; Microwave integrated circuits; Plasma applications, materials processing; Resist; Semiconductor growth; Thin-film circuit fabrication; Ultra-large-scale integration

Integrated circuit ion implantation

comments, with reply, on 'Dose perturbation by wafer charging during ion implantation' by Y. Sato et al. *White, Nicholas R.*, *T-SEM Aug 93* 268-269 (Original paper, Nov 92 329-336)

Integrated circuit measurements

alternative graphing methods for thin-film interferometry data. *Maynard, Helen L.*, +, *T-SEM Nov 93* 373-377

in situ measurement of wafer temperatures in LPCVD furnace. *Badgwell, Thomas A.*, +, *T-SEM Feb 93* 65-71

model-based emissivity correction in pyrometer-based temperature control for rapid thermal processing. *Sorrell, F. Yates*, +, *T-SEM Aug 93* 273-276

Integrated circuit measurements; cf. Integrated circuit testing; MOS integrated circuits

Integrated circuit metallization

advanced contact engineering for submicron VLSI multilevel metallization. *Young, K. Konrad, + , T-SEM Feb 93 22-27*

Integrated circuit reliability

optimal life testing schedule for multiple types of integrated circuits. *Leung, Yiu-Wing, T-SEM Nov 93 318-323*

Integrated circuit reliability; cf. CMOS integrated circuits; MOS integrated circuits

Integrated circuits; cf. Microwave integrated circuits; MMICs

Integrated circuit testing; cf. Integrated circuit reliability; Manufacturing testing; Microprocessor testing

Integrated circuit thermal factors

calculation of temperature distribution in semiconductor wafers heated in vertical diffusion furnace; PID and feedforward control of heating power. *Hirasawa, Shigeki, + , T-SEM Aug 93 226-232*

in situ measurement of wafer temperatures in LPCVD furnace. *Badgwell, Thomas A., + , T-SEM Feb 93 65-71*

model-based emissivity correction in pyrometer-based temperature control for rapid thermal processing. *Sorrell, F. Yates, + , T-SEM Aug 93 273-276*

model identification in rapid thermal processing systems. *Cho, Young Man, + , T-SEM Aug 93 233-245*

Integrated circuit thermal factors; cf. MMICs

Interferometry; cf. Optical interferometry

Ion implantation; cf. Integrated circuit ion implantation

Ionization

atmospheric-pressure ionization mass spectroscopy for study of permeation in polymeric tubing. *Ma, Ce, + , T-SEM Nov 93 361-366*

J

Junctions; cf. Semiconductor junctions

K

Knowledge-based systems; cf. Expert systems

L

Large-scale integration; cf. Very-large-scale integration

Laser applications, materials processing

laser-assisted thermally enhanced via etching for InP-based HEMT MMICs. *Ghandour, Osman A., + , T-SEM Nov 93 357-360*

laser direct write technique for fabrication of thin-film MICs. *Harish, C. M., + , T-SEM Aug 93 279-282*

Laser processing applications; cf. Laser applications, materials processing

Layout, integrated circuits

layout-driven yield predictor and fault generator for VLSI. *Dalal, Alexander R., + , T-SEM Feb 93 77-82*

Learning systems; cf. Neural networks

Levitation; cf. Magnetic levitation

Life estimation

optimal life testing schedule for multiple types of integrated circuits. *Leung, Yiu-Wing, T-SEM Nov 93 318-323*

Lithography

manufacturing study of yield and performance dependence on gate length for submicron AlInAs-GaInAs HEMTs fabricated by e-beam lithography. *Larson, Lawrence, + , T-SEM Nov 93 380-383*

optimization-based algorithm for designing phase-shifting masks with extended depth of focus and/or shifted focus plane. *Liu, Yong, + , T-SEM Feb 93 1-21*

M

Magnetic levitation

automated loading and unloading system for maglev wafer transport path. *Wang, Wanjun, + , T-SEM Aug 93 276-279*

Management; cf. Manufacturing management

Manufacturing; cf. Integrated circuit fabrication; MODFETs; Semiconductor device fabrication

Manufacturing automation

automated malfunction diagnosis for IC fabrication equipment; plasma etch application. *May, Gary S., + , T-SEM Feb 93 28-40*

improved methodology for real-time scheduling at batch-process workstations to minimize holding cost. *Weng, W. Willie, + , T-SEM Aug 93 219-225*

Manufacturing and Engineering Data Base (MEDB) system for semiconductor manufacturing data analysis. *Miller, William H., Jr., + , T-SEM May 93 128-133*

object-oriented SECS programming environment. *Wood, Ernest J., T-SEM May 93 119-127*

world class manufacturing for hybrid thin-film component production. *Berg, Rachel, + , T-SEM May 93 170-177*

Manufacturing automation; cf. Materials handling

Manufacturing data processing

alternative graphing methods for thin-film interferometry data. *Maynard, Helen L., + , T-SEM Nov 93 373-377*

Manufacturing and Engineering Data Base (MEDB) system for semiconductor manufacturing data analysis. *Miller, William H., Jr., + , T-SEM May 93 128-133*

Manufacturing economics; cf. Manufacturing scheduling

Manufacturing management

evolution of empowered self-directed work teams at Harris Semiconductor wafer fabrication facilities. *Behnke, Lawrence S., + , T-SEM May 93 143-155*

implementation of total quality management in semiconductor manufacturing operation. *Naguib, Hussein, T-SEM May 93 156-162*

monitoring supplier quality at PPM levels. *Ackermann, Colleen Sue, + , T-SEM May 93 189-195*

reasons for failure of self-directed teams in continuous flow manufacturing and redefinition of teams. *Tomlinson, Kim P., T-SEM May 93 163-169*

world class manufacturing for hybrid thin-film component production. *Berg, Rachel, + , T-SEM May 93 170-177*

Manufacturing scheduling

improved methodology for real-time scheduling at batch-process workstations to minimize holding cost. *Weng, W. Willie, + , T-SEM Aug 93 219-225*

Manufacturing testing

automated measurement of charge necessary to induce failure in thin SiO₂ film. *Evans, Ivor R., + , T-SEM Feb 93 83-87*

correction to 'The effect of the number of defect mechanisms on fault clustering and its detection using yield model parameters' (Aug 92 189-195). *Collica, Randall S., T-SEM Feb 93 88*

finding failures in ULSI circuits with high detection capability using photon emission; application to CMOS microprocessor. *Uraoka, Yukiharu, + , T-SEM Nov 93 324-331*

layout-driven yield predictor and fault generator for VLSI. *Dalal, Alexander R., + , T-SEM Feb 93 77-82*

MERLIN, device diagnosis system based on analytic models. *Freeman, Greg, + , T-SEM Nov 93 306-317*

optimal life testing schedule for multiple types of integrated circuits. *Leung, Yiu-Wing, T-SEM Nov 93 318-323*

research accomplishments at University of Arizona SEMATECH Center of Excellence for contamination/defect assessment and control in submicron ULSI. *Parks, Harold G., + , T-SEM May 93 134-142*

statistical tests for upgrading from trend charts to control charts in semiconductor manufacturing. *Abugov, Robert, T-SEM May 93 184-188*

Mass spectroscopy

atmospheric-pressure ionization mass spectroscopy for study of permeation in polymeric tubing. *Ma, Ce, + , T-SEM Nov 93 361-366*

Materials handling

automated loading and unloading system for maglev wafer transport path. *Wang, Wanjun, + , T-SEM Aug 93 276-279*

Materials processing; cf. Laser applications, materials processing; Plasma applications, materials processing

Measurement; cf. Integrated circuit measurements; Semiconductor device measurements; Semiconductor device measurement

Mechanical variables measurement; cf. Thickness measurement

Memory fault diagnosis

correction to 'The effect of the number of defect mechanisms on fault clustering and its detection using yield model parameters' (Aug 92 189-195). *Collica, Randall S., T-SEM Feb 93 88*

Metallization; cf. Integrated circuit metallization

MIC; cf. Microwave integrated circuits

Microcomputer fault diagnosis

finding failures in ULSI circuits with high detection capability using photon emission; application to CMOS microprocessor. *Uraoka, Yukiharu, + , T-SEM Nov 93 324-331*

Microprocessor testing

finding failures in ULSI circuits with high detection capability using photon emission; application to CMOS microprocessor. *Uraoka, Yukiharu, + , T-SEM Nov 93 324-331*

Microwave integrated circuits

laser direct write technique for fabrication of thin-film MICs. *Harish, C. M., + , T-SEM Aug 93 279-282*

Millimeter-wave FETs; cf. MODFETs**Minimization methods; cf. Optimization methods****MMICs**

laser-assisted thermally enhanced via etching for InP-based HEMT MMICs. *Ghandour, Osman A.*, + , *T-SEM Nov 93* 357-360

Modeling; cf. Simulation; Specific topic**MODFET integrated circuits**

laser-assisted thermally enhanced via etching for InP-based HEMT MMICs. *Ghandour, Osman A.*, + , *T-SEM Nov 93* 357-360

MODFETs

manufacturing study of yield and performance dependence on gate length for submicron AlInAs-GaInAs HEMTs fabricated by e-beam lithography. *Larson, Lawrence.*, + , *T-SEM Nov 93* 380-383

Monitoring; cf. Process monitoring**Monolithic integrated circuits; cf. Integrated circuit...****Monolithic microwave integrated circuits; cf. MMIC...****MOSFET circuits; cf. MOS integrated circuits****MOSFETs**

differentiation of source/drain breakdown mechanisms by single ring transistor measurement. *Dunn, Douglas E.*, *T-SEM Aug 93* 282-284

MOSFETs; cf. MOS integrated circuits; Power FETs**MOS integrated circuits**

monitoring plasma-process-induced damage in thin oxide. *Shin, Hyungcheol.*, + , *T-SEM May 93* 96-102

MOS integrated circuits; cf. CMOS integrated circuits; MOSFETs**MOS integrated circuits, memory; cf. CMOS integrated circuits, memory****Multiprocessing; cf. Neural networks**

N

Neural networks

advantages of plasma etch modeling using neural networks over statistical techniques. *Himmel, Christopher D.*, + , *T-SEM May 93* 103-111

using neural networks in modeling semiconductor manufacturing processes; plasma etch modeling example. *Rietman, Edward.*, + , *T-SEM Nov 93* 343-347

Numerical methods; cf. Optimization methods

O

Object-oriented databases

system for semiconductor process specification. *Durbeck, Diane.*, + , *T-SEM Nov 93* 297-305

Object-oriented programming

object-oriented SECS programming environment. *Wood, Ernest J.*, *T-SEM May 93* 119-127

Optical-beam focusing

optimization-based algorithm for designing phase-shifting masks with extended depth of focus and/or shifted focus plane. *Liu, Yong.*, + , *T-SEM Feb 93* 1-21

Optical interferometry

alternative graphing methods for thin-film interferometry data. *Maynard, Helen L.*, + , *T-SEM Nov 93* 373-377

simultaneous in situ measurement of film thickness and temperature using multiple-wavelength pyrometric interferometry. *Boebel, Friedrich G.*, + , *T-SEM May 93* 112-118

Optical measurements

finding failures in ULSI circuits with high detection capability using photon emission; application to CMOS microprocessor. *Uraoka, Yukiharu.*, + , *T-SEM Nov 93* 324-331

Optical measurements; cf. Optical interferometry**Optimization methods**

design and construction of furnace for LPCVD constant-temperature polysilicon film deposition; process optimization. *DePinto, Gary.*, *T-SEM Nov 93* 332-342

modeling, optimization and control of spatial uniformity in manufacturing processes. *Guo, Ruey-Shan.*, + , *T-SEM Feb 93* 41-57

optimal life testing schedule for multiple types of integrated circuits. *Leung, Yiu-Wing.*, *T-SEM Nov 93* 318-323

optimization-based algorithm for designing phase-shifting masks with extended depth of focus and/or shifted focus plane. *Liu, Yong.*, + , *T-SEM Feb 93* 1-21

optimum power MOSFET design methodology that considers epitaxial-layer parameter variations. *Hwang, Seong-Kyu.*, + , *T-SEM Nov 93* 377-380

Organic materials/devices; cf. Plastic materials/devices

P

Particle spectroscopy; cf. Mass spectroscopy**Photoresists; cf. Resists****PID (proportional-integral-derivative) control; cf. Proportional control****Plasma applications, materials processing**

advantages of plasma etch modeling using neural networks over statistical techniques. *Himmel, Christopher D.*, + , *T-SEM May 93* 103-111

automated malfunction diagnosis for IC fabrication equipment; plasma etch application. *May, Gary S.*, + , *T-SEM Feb 93* 28-40

independent control of ion density and ion bombardment energy in dual RF excitation plasma. *Goto, Haruhiro Harry.*, + , *T-SEM Feb 93* 58-64

monitoring plasma-process-induced damage in thin oxide. *Shin, Hyungcheol.*, + , *T-SEM May 93* 96-102

reactor characterization for process to etch Si₃N₄ formed on thin SiO₂. *Riley, Paul E.*, + , *T-SEM Aug 93* 290-292

using neural networks in modeling semiconductor manufacturing processes; plasma etch modeling example. *Rietman, Edward.*, + , *T-SEM Nov 93* 343-347

Plasma control

independent control of ion density and ion bombardment energy in dual RF excitation plasma. *Goto, Haruhiro Harry.*, + , *T-SEM Feb 93* 58-64

Plasma etching; cf. Plasma applications, materials processing**Plastic films; cf. Polypropylene films****Plastic materials/devices**

atmospheric-pressure ionization mass spectroscopy for study of permeation in polymeric tubing. *Ma, Ce.*, + , *T-SEM Nov 93* 361-366

Polymers; cf. Plastic materials/devices; Polypropylene films**Polypropylene films**

charge modification of polypropylene filter membranes by graft polymerization of 4-vinyl pyridine using ⁶⁰Co γ -irradiation. *Jan, D.*, + , *T-SEM Nov 93* 367-372

Power FETs

optimum power MOSFET design methodology that considers epitaxial-layer parameter variations. *Hwang, Seong-Kyu.*, + , *T-SEM Nov 93* 377-380

Prediction methods

layout-driven yield predictor and fault generator for VLSI. *Dalal, Alexander R.*, + , *T-SEM Feb 93* 77-82

model for predicting film thickness profiles around topographical features during spin coating. *Peurrung, Loni M.*, + , *T-SEM Feb 93* 72-76

Process control

ExPro expert-system-based process management system. *Rastogi, Purag.*, + , *T-SEM Aug 93* 207-218

independent control of ion density and ion bombardment energy in dual RF excitation plasma. *Goto, Haruhiro Harry.*, + , *T-SEM Feb 93* 58-64

model-based emissivity correction in pyrometer-based temperature control for rapid thermal processing. *Sorrell, F. Yates.*, + , *T-SEM Aug 93* 273-276

modeling, optimization and control of spatial uniformity in manufacturing processes. *Guo, Ruey-Shan.*, + , *T-SEM Feb 93* 41-57

research accomplishments at University of Arizona SEMATECH Center of Excellence for contamination/defect assessment and control in submicron ULSI. *Parks, Harold G.*, + , *T-SEM May 93* 134-142

statistical process control applications workshops for piece part suppliers. *Ackermann, Colleen Sue.*, *T-SEM May 93* 178-183

statistical tests for upgrading from trend charts to control charts in semiconductor manufacturing. *Abugov, Robert.*, *T-SEM May 93* 184-188

Process control; cf. Manufacturing automation; Process monitoring**Process heating**

calculation of temperature distribution in semiconductor wafers heated in vertical diffusion furnace; PID and feedforward control of heating power. *Hirasawa, Shigeki.*, + , *T-SEM Aug 93* 226-232

design and construction of furnace for LPCVD constant-temperature polysilicon film deposition; process optimization. *DePinto, Gary.*, *T-SEM Nov 93* 332-342

in situ measurement of wafer temperatures in LPCVD furnace. *Badgwell, Thomas A.*, + , *T-SEM Feb 93* 65-71

Process monitoring

alternative graphing methods for thin-film interferometry data. *Maynard, Helen L.*, + , *T-SEM Nov 93* 373-377

Process monitoring; cf. Manufacturing automation**Production...; cf. Manufacturing...****Programming; cf. Object-oriented programming****Proportional control**

calculation of temperature distribution in semiconductor wafers heated in vertical diffusion furnace; PID and feedforward control of heating power. *Hirasawa, Shigeki.*, + , *T-SEM Aug 93* 226-232

improving manufacturing capability of MBE growth of semiconductors by decoupled flux control. *Garrett, Patrick H.*, + , *T-SEM Nov 93* 348-356
Protocols; cf. Manufacturing automation
Pyrometers; cf. Temperature measurement

Q

Quality assurance

monitoring supplier quality at PPM levels. *Ackermann, Colleen Sue*, + , *T-SEM May 93* 189-195
 statistical process control applications workshops for piece part suppliers. *Ackermann, Colleen Sue*, *T-SEM May 93* 178-183

Quality control

implementation of total quality management in semiconductor manufacturing operation. *Naguib, Hussein*, *T-SEM May 93* 156-162

R

Radiation effects; cf. Gamma-ray effects

Random-access memories

correction to 'The effect of the number of defect mechanisms on fault clustering and its detection using yield model parameters' (Aug 92 189-195). *Collica, Randall S.*, *T-SEM Feb 93* 88
 integration of polysilicon encapsulated local oxidation (PELOX) into existing polysilicon buffered LOCOS 1-Mb DRAM baseline process. *Roth, S. S.*, + , *T-SEM Aug 93* 246-250

Rapid thermal processing; cf. Integrated circuit fabrication

RD&E

research accomplishments at University of Arizona SEMATECH Center of Excellence for contamination/defect assessment and control in submicron ULSI. *Parks, Harold G.*, + , *T-SEM May 93* 134-142

Real-time systems

improved methodology for real-time scheduling at batch-process workstations to minimize holding cost. *Weng, W. Willie*, + , *T-SEM Aug 93* 219-225

Reliability; cf. Failure analysis; Semiconductor device reliability

Reliability testing; cf. Life estimation; Semiconductor device reliability

Research, development, and engineering; cf. RD&E

Resists

advanced development process for ultrafine photoresist patterns. *Shimada, Hisayuki*, + , *T-SEM Aug 93* 269-273
 model for predicting film thickness profiles around topographical features during spin coating. *Peurrung, Loni M.*, + , *T-SEM Feb 93* 72-76

S

Scheduling

optimal life testing schedule for multiple types of integrated circuits. *Leung, Yiu-Wing*, *T-SEM Nov 93* 318-323

Scheduling; cf. Manufacturing scheduling

Schottky FET logic circuits; cf. MODFET integrated circuits

Semiconductor defects

correction to 'The effect of the number of defect mechanisms on fault clustering and its detection using yield model parameters' (Aug 92 189-195). *Collica, Randall S.*, *T-SEM Feb 93* 88
 research accomplishments at University of Arizona SEMATECH Center of Excellence for contamination/defect assessment and control in submicron ULSI. *Parks, Harold G.*, + , *T-SEM May 93* 134-142

Semiconductor device breakdown

differentiation of source/drain breakdown mechanisms by single ring transistor measurement. *Dunn, Douglas E.*, *T-SEM Aug 93* 282-284

Semiconductor device breakdown; cf. MOS integrated circuits

Semiconductor device economics; cf. Integrated circuit economics

Semiconductor device fabrication

contributions from the 1992 Advanced Semiconductor Manufacturing Conference and Workshop and the 1992 International Semiconductor Manufacturing Science Symposium (special issue). *T-SEM May 93* 94-195
 statistical tests for upgrading from trend charts to control charts in semiconductor manufacturing. *Abugov, Robert*, *T-SEM May 93* 184-188
 using neural networks in modeling semiconductor manufacturing processes; plasma etch modeling example. *Rietman, Edward*, + , *T-SEM Nov 93* 343-347

Semiconductor device fabrication; cf. Integrated circuit fabrication; MODFETs; Plasma applications, materials processing

Semiconductor-device ion implantation; cf. Integrated circuit ion implantation

Semiconductor device measurements

differentiation of source/drain breakdown mechanisms by single ring transistor measurement. *Dunn, Douglas E.*, *T-SEM Aug 93* 282-284

Semiconductor device measurements; cf. Integrated circuit measurements

Semiconductor device metallization; cf. Integrated circuit metallization

Semiconductor device reliability; cf. Integrated circuit reliability

Semiconductor device thermal factors; cf. Integrated circuit thermal factors; Semiconductor growth

Semiconductor films

design and construction of furnace for LPCVD constant-temperature polysilicon film deposition; process optimization. *DePinto, Gary*, *T-SEM Nov 93* 332-342

improving manufacturing capability of MBE growth of semiconductors by decoupled flux control. *Garrett, Patrick H.*, + , *T-SEM Nov 93* 348-356

Semiconductor growth

design and construction of furnace for LPCVD constant-temperature polysilicon film deposition; process optimization. *DePinto, Gary*, *T-SEM Nov 93* 332-342

Semiconductor growth; cf. Epitaxial growth

Semiconductor impurities

optimizing gettering conditions for VLSI chips using simple yield model. *Kishino, Seigô*, + , *T-SEM Aug 93* 251-257

Semiconductor-insulator interfaces; cf. MOS...

Semiconductor junctions

differentiation of source/drain breakdown mechanisms by single ring transistor measurement. *Dunn, Douglas E.*, *T-SEM Aug 93* 282-284

Signal processing; cf. Filters

Silicon materials/devices

removing particles from Si wafer surface in wet cleaning process. *Itano, Mitsushi*, + , *T-SEM Aug 93* 258-267

Silicon materials/devices; cf. Dielectric films; Semiconductor films

Simulation; cf. Specific topic

Size measurement; cf. Thickness measurement

Software design/development; cf. Software development environments

Software development environments

object-oriented SECS programming environment. *Wood, Ernest J.*, *T-SEM May 93* 119-127

Special issues/sections

contributions from the 1992 Advanced Semiconductor Manufacturing Conference and Workshop and the 1992 International Semiconductor Manufacturing Science Symposium. *T-SEM May 93* 94-195

Spectroscopy; cf. Mass spectroscopy

Standards

object-oriented SECS programming environment. *Wood, Ernest J.*, *T-SEM May 93* 119-127

Statistics

advantages of plasma etch modeling using neural networks over statistical techniques. *Himmel, Christopher D.*, + , *T-SEM May 93* 103-111

Statistics; cf. Process control

Surface charging

charge modification of polypropylene filter membranes by graft polymerization of 4-vinyl pyridine using ^{60}Co γ -irradiation. *Jan, D.*, + , *T-SEM Nov 93* 367-372

comments, with reply, on 'Dose perturbation by wafer charging during ion implantation' by Y. Sato et al.. *White, Nicholas R.*, *T-SEM Aug 93* 268-269 (Original paper, Nov 92 329-336)

System identification

model identification in rapid thermal processing systems. *Cho, Young Man*, + , *T-SEM Aug 93* 233-245

T

Temperature control

model-based emissivity correction in pyrometer-based temperature control for rapid thermal processing. *Sorrell, F. Yates*, + , *T-SEM Aug 93* 273-276

model-based emissivity correction in pyrometer-based temperature control for rapid thermal processing. *Sorrell, F. Yates*, + , *T-SEM Aug 93* 273-276

model identification in rapid thermal processing systems. *Cho, Young Man*, + , *T-SEM Aug 93* 233-245

Temperature control; cf. Process heating

Temperature measurement

in situ measurement of wafer temperatures in LPCVD furnace. *Badgwell, Thomas A.*, + , *T-SEM Feb 93* 65-71

model-based emissivity correction in pyrometer-based temperature control for rapid thermal processing. *Sorrell, F. Yates, +*, *T-SEM Aug 93* 273-276

simultaneous in situ measurement of film thickness and temperature using multiple-wavelength pyrometric interferometry. *Boebel, Friedrich G., +*, *T-SEM May 93* 112-118

Testing; cf. Automatic testing; Manufacturing testing

Thermal factors; cf. Integrated circuit thermal factors; Semiconductor device thermal factors

Thermal variables control

calculation of temperature distribution in semiconductor wafers heated in vertical diffusion furnace; PID and feedforward control of heating power. *Hirasawa, Shigeki, +*, *T-SEM Aug 93* 226-232

Thermal variables control; cf. Temperature control

Thermal variables measurement; cf. Temperature measurement

Thickness measurement

model for predicting film thickness profiles around topographical features during spin coating. *Peurrung, Loni M., +*, *T-SEM Feb 93* 72-76

simultaneous in situ measurement of film thickness and temperature using multiple-wavelength pyrometric interferometry. *Boebel, Friedrich G., +*, *T-SEM May 93* 112-118

Thin-film circuit fabrication

world class manufacturing for hybrid thin-film component production. *Berg, Rachel, +*, *T-SEM May 93* 170-177

Thin-film circuits; cf. Microwave integrated circuits

Thin films

alternative graphing methods for thin-film interferometry data. *Maynard, Helen L., +*, *T-SEM Nov 93* 373-377

U

Ultra-large-scale integration; cf. CMOS integrated circuits

V

Very-large-scale integration; cf. Integrated circuit fabrication; Integrated circuit metallization; Layout, integrated circuits

VLSI; cf. Very-large-scale integration

Voltage breakdown; cf. Dielectric breakdown

Y

Yield optimization

correction to 'The effect of the number of defect mechanisms on fault clustering and its detection using yield model parameters' (Aug 92 189-195). *Collica, Randall S., T-SEM Feb 93* 88

layout-driven yield predictor and fault generator for VLSI. *Dalal, Alexander R., +*, *T-SEM Feb 93* 77-82

manufacturing study of yield and performance dependence on gate length for submicron AlInAs-GaInAs HEMTs fabricated by e-beam lithography. *Larson, Lawrence, +*, *T-SEM Nov 93* 380-383

optimizing gettering conditions for VLSI chips using simple yield model. *Kishino, Seigô, +*, *T-SEM Aug 93* 251-257

research accomplishments at University of Arizona SEMATECH Center of Excellence for contamination/defect assessment and control in submicron ULSI. *Parks, Harold G., +*, *T-SEM May 93* 134-142

INFORMATION FOR AUTHORS

Content

IEEE TRANSACTIONS ON SEMICONDUCTOR MANUFACTURING is published quarterly with the first issue in February. Contributed papers may be of a tutorial or research nature, but the latter must be original and must not duplicate descriptions or derivations available elsewhere.

This TRANSACTIONS aims to address the challenging problems of manufacturing complex microelectronic components, especially very large scale integrated circuits (VLSI), but also thin-film heads for magnetic recording, integrated optical components, and other similar products. Manufacturing these products typically requires precision micropatterning, precision control of materials properties, ultra-clean work environments, and complex interactions of chemical, physical, electrical, and mechanical processes. An integrated application of interdisciplinary skills is essential for success.

Particularly sought for these TRANSACTIONS are original papers describing practical engineering techniques for solving problems involving interactions among facility, equipment, process, product, and people issues in the context of manufacturing. The TRANSACTIONS' spectrum of coverage will range from fundamental to applied. Whenever possible papers should include appropriate results from manufacturing experience.

Submission of a manuscript manifests the fact that it has been neither copyrighted, published, nor submitted or accepted for publication elsewhere, unless otherwise so stated by the author.

Length

Authors should document their work in relation to the open literature. The following limits on length will be enforced.

- 1) Regular papers, 7 to 20 double-spaced pages in length, plus up to 10 pages, 8½" by 11" of figures.
- 2) Correspondence items of less than 6 double-spaced pages, plus not more than 3 pages of figures.

Style for Manuscripts

1) The manuscript should be printed using double space; use one side of the sheet only. Office-duplicated copies are acceptable.

2) Provide a carefully worded abstract of from 100 to 200 words for papers and less than 50 words for correspondence. Name, address, and telephone number of author(s) should appear with abstract.

3) A pamphlet, "Information for IEEE Transactions and Journal Authors," is available on request from the IEEE Publications Department, 345 East 47 Street, New York, NY 10017.

4) References may appear as numbered footnotes or in a separate bibliography at the end of the paper. In either case, references should be complete and in IEEE style.

Style for papers: Author (with initials first), title, journal title, volume number, inclusive page numbers, month, year.

Style for books: Author, title, location publisher, year, page or chapter number (if desired). See this issue for further examples.

5) Figure captions should be on a separate sheet in proper style for typesetting. See this issue for examples.

6) Departures from the above style may delay publication.

Style for Illustrations

1) Originals of drawings and glossy print photographs should be sharp and of good contrast. Line drawings should be in high contrast black ink on a white background. Use 8½" × 11" size sheets to simplify handling of the manuscript. Template lettering is recommended; typing on figures is not acceptable. Lettering must be large enough to permit legible reduction of the figure to column width, perhaps as much as 4:1.

2) Identify each illustration on the back or at the bottom of the front with the figure number and name of author(s). *Captions lettered on figures will be blocked out in reproduction in favor of typeset captions.*

Review Process

The review process usually requires about two months. The author is then notified of the decision of the Editor or Associate Editor based on reviewer recommendations. The authors may be asked to modify the manuscript if it is not accepted or rejected in its original form. The elapsed time between final acceptance of a manuscript and publication is usually four to eight months.

Submissions

Send the original and three copies of your manuscript to the Editor. Each copy should be complete with illustrations and should be accompanied by a separate sheet containing the address to which galley proofs and other correspondence can be sent. Also enclose original illustrations or be prepared to submit these immediately upon acceptance of your manuscript. Authors will be charged for changes in text or figures in proof. In the case of regular papers, also be prepared to provide a brief technical biography and photograph of each author.

Electronic Publishing: This form of manuscript handling is available as an option for the accepted letter. At the time of initial submission, the author is requested to submit only the hard copies. Upon *final* acceptance of the manuscript, the author is encouraged to submit the final version of his manuscript in electronic form on a floppy disk prepared with an acceptable word processor together with an *identical paper copy*. Figures, photos, etc., must be submitted in a camera ready form but not in an electronic form.

Page Charges: After manuscript has been accepted for publication, the author's company or institution will be requested to pay a charge of \$110.00 per printed page to cover part of the cost of publication. Page charges for this IEEE TRANSACTIONS, like those for journals of other professional societies, are not obligatory nor is their payment a prerequisite for publication. The author will receive 100 free reprints without covers if the charge is honored. Detailed instructions will accompany the galley proof.

Copyright: It is the policy of the IEEE to own the copyright to the technical contributions it publishes on behalf of the interests of the IEEE, its authors, and their employers, and to facilitate the appropriate reuse of this material by others. To comply with the U.S. Copyright Law, authors are required to sign an IEEE copyright transfer form before publication. This form, a copy of which appears in the February 1993 issue of this TRANSACTIONS, returns to authors and their employers full rights to reuse their material for their own purposes. Authors must submit a signed copy of this form with their manuscripts.

